BBA

Gene Structure and Expression

Vol. 1090, 1991

Cumulative Contents

Regular Papers

Molecular cloning of the murine ST2 gene. Characterization and chromosomal mapping
S.-i. Tominaga, N.A. Jenkins, D.J. Gilbert, N.G. Copeland and T. Tetsuka (Japan, U.S.A.) 1

Direct DNA sequencing from colony: analysis of multiple deletions of mitochondrial genome
K. Ohno, M. Tanaka, H. Ino, H. Suzuki, M. Tashiro, T. Ibi, K. Sahashi, A. Takahashi and T. Ozawa (Japan) 9

Tissue- and development-specific expression of HBGF-1 mRNA
D.E. Sullivan and T.G. Storch (U.S.A.) 17

Complex regulation of tumor necrosis factor mRNA turnover in lipopolysaccharide-activated macrophages
J. Han, B. Beutler and G. Huez (Belgium, U.S.A.) 22

Spectrophotometrical and immunochemical studies on the conformational changes in poly(dG-dC) · poly(dG-dC) after modification by 4-hydroxyaminoquinoline 1-oxide
M. Tada, S. Ikeda, M. Suzuki, Y. Minoura, M. Kojima and T. Morita (Japan) 29

Histones and DNA methylation in mammalian chromatin. Differential inhibition by histone H_1
P. Caiafa, A. Reale, P. Allegra, M. Rispoli, M. D'Erme and R. Strom (Italy) 38

Characterization of the gene encoding human peroxisomal 3-oxoacyl-CoA thiolase (ACAA). No large DNA rearrangement in a thiolase-deficient patient
A. Bout, M.M. Franse, J. Collins, L. Blonden, J.M. Tager and R. Benne (The Netherlands, U.S.A.) 43

Netropsin and bis-netropsin analogs as inhibitors of the catalytic activity of mammalian DNA topoisomerase II and topoisomerase cleavable complexes
T.A. Beerman, J.M. Woynarowski, R.D. Sigmund, L.S. Gawron, K.E. Rao and J.W. Lown (U.S.A., Canada) 52

Enhancement of DNA replication by transcription factors NFI and NFIII/Oct-1 depends critically on the positions of their binding sites in the adenovirus origin of replication
F.E.J. Coenjaerts, E. De Vries, G.J.M. Pruijn, W. Van Driel, S.M. Bloemers, N.M.T. Van der Lugt and P.C. Van der Vliet (The Netherlands) 61

Expression and characterization of recombinant human ciliary neurotrophic factor from *Escherichia coli*
J.R. McDonald, C. Ko, D. Mismer, D.J. Smith and F. Collins (U.S.A.) 70

Mammalian mRNAs encoding protein closely related to ubiquitin-conjugating enzyme encoded by yeast DNA repair gene *RAD6*
C. Woffendin, Z. Chen, K. Staskus, E.F. Retzel and P.G.W. Plagemann (U.S.A.) 81

Functional expression of urea channels in amphibian oocytes injected with frog urinary bladder mRNA
S. Martial, P. Ripoche and C. Ibarra (France, Argentina) 86

Hepatic and renal expression of rat apolipoprotein E under control of the metallothionein promotor in transgenic mice
H. Shimano, N. Yamada, M. Shimada, N. Ohsawa, C. Fukazawa, Y. Yazaki, F. Takaku and M. Katsuki (Japan) 91

Expression of LDL receptor, apolipoprotein B, apolipoprotein A-I and apolipoprotein A-IV mRNA in various mouse organs as determined by a novel RNA-excess solution hybridization assay
R.A.K. Srivastava, B.A. Pfleger and G. Schonfeld (U.S.A.) 95

Molecular cloning of cDNA for antimycin A-inducible mRNA and its role in cyanide-resistant respiration in *Hansenula anomala*
S. Sakajo, N. Minagawa, T. Komiyama and A. Yoshimoto (Japan) 102

Burkitt lymphoma cell lines are prone to recombination in the switch region of the Igμ heavy chain locus
P.G. Middleton, I.K. Williamson, J.J. Taylor, D. Rowe and K. Guy (U.K.) 109

Short Sequence-Papers

An adult male specific gene in *Drosophila* containing the repetitive element *opa*
D.T. Grabowski, J.P. Carney and M.R. Kelley (U.S.A.) 115

Nucleotide sequence of cDNA coding for dianthin 30, a ribosome inactivating protein from *Dianthus caryophyllus*
G. Legname, P. Bellosta, G. Gromo, D. Modena, J.N. Keen, L.M. Roberts and J.M. Lord (U.K., Italy) 119

Cloning and nucleotide sequence of cDNA encoding human erythrocyte band 7 integral membrane protein
C.M. Hiebl-Dirschmied, B. Entler, C. Glotzmann, I. Maurer-Fogy, C. Stratowa and R. Prohaska (Austria) 123

Nucleotide sequence of a cDNA coding for the mitochondrial precursor protein of cytochrome *c* oxidase subunit IV from the slime mold *Dictyostelium discoideum*
R. Rizzuto, D. Sandonà, R.A. Capaldi and R. Bisson (Italy, U.S.A.) 125

Complete nucleotide sequences of major plasma protein genes of *Bombyx mori*
S. Mori, S. Izumi and S. Tomino (Japan) 129

Primary structures of two subunits of NADH: ubiquinone reductase from *Neurospora crassa* concerned with NADH-oxidation. Relationship to a soluble NAD-reducing hydrogenase of *Alcaligenes eutrophus*
D. Preis, U. Weidner, C. Conzen, J.E. Azevedo, U. Nehls, D. Röhlen, J. Van der Pas, U. Sackmann, R. Schneider, S. Werner and H. Weiss (F.R.G.) 133

Nucleotide sequence analysis of the CT operon of the *Vibrio cholerae* classical strain 569B
E. Dams, M. De Wolf and W. Dierick (Belgium) 139

Review

The role of inverted duplication in the generation of gene amplification in mammalian cells
M. Fried, S. Feo and E. Heard (U.K.) 143

Regular Papers

Plasmids bearing mammalian DNA-replication origin-enriched (*ors*) fragments initiate semiconservative replication in a cell-free system
C.E. Pearson, L. Frappier and M. Zannis-Hadjopoulos (Canada) 156

Interactions of bovine mitochondrial phenylalanyl-tRNA with ribosomes and elongation factors from mitochondria and bacteria
Y. Kumazawa, C.J. Schwartzbach, H.-X. Liao, K. Mizumoto, Y. Kaziro, K.-i. Miura, K. Watanabe and L.L. Spremulli (Japan, U.S.A.) 167

Characteristics of c-*fos* and *jun* B gene expression in A5 cells after β-adrenoreceptor stimulation and during the cell cycle
C.-K. Yeh, M.A. Chinchetru and E. Kousvelari (U.S.A.) 173

Expression of the Ku protein during cell proliferation
M. Yaneva and S. Jhiang (U.S.A.) 181

On the translational control of ornithine decarboxylase expression by polyamines
L. Stjernborg, O. Heby, I. Holm and L. Persson (Sweden) 188

Immunoanalysis of ultraviolet radiation induced DNA damage and repair within specific gene segments of plasmid DNA
A.A. Wani and J. Arezina (U.S.A.) 195

Functional analysis of the promoter of the gene encoding the acidic ribosomal protein L45 in yeast
L.S. Kraakman, W.H. Mager, J.J. Grootjans and R.J. Planta (The Netherlands) 204

Regulation of differentially spliced transcripts of acyl-CoA oxidase in the rat
D.R. Bell and C.R. Elcombe (U.K.) 211

Stable expression of human tissue-type plasminogen activator regulated by β-actin promoter in three human cell lines: HeLa, WI-38 VA13 and KMS-5
H. Morishita, N. Nakamura, T. Yamakawa, H. Ogino, T. Kanamori, M. Nobuhara and M. Namba (Japan) 216

Metallothionein mRNA stability in chicken and mouse cells
S.K. De, G.C. Enders and G.K. Andrews (U.S.A.) 223

Rapid Report

Expression of β-1,4-galactosyltransferase gene during 3T3 cell growth
A.S. Masibay, G.P. Damewood, E. Boeggeman and P.K. Qasba (U.S.A.) 230

Short Sequence-Papers

Isolation and characterization of the canine thyroglobulin gene promoter region
A. Donda, G. Vassart and D. Christophe (Belgium) 235

Molecular cloning of cell adhesion molecule L1 from human nervous tissue: a comparison of the primary sequences of L1 molecules of different origin
M. Kobayashi, M. Miura, H. Asou and K. Uyemura (Japan) 238

Hem-1, a potential membrane protein, with expression restricted to blood cells
R. Hromas, S. Collins, W. Raskind, L. Deaven and K. Kaushansky (U.S.A.) 241

Cloning and sequencing of the grass carp (*Ctenopharyngodon idellus*) growth hormone gene
W.K.K. Ho, M.-W. Wong and A.P.Y. Chan (Hong Kong) 245

cDNA sequence of the long mRNA for human glutamine synthase
M.J.B. Van den Hoff, W.J.C. Geerts, A.T. Das, A.F.M. Moorman and W.H. Lamers (The Netherlands) 249

Nucleotide sequences of three different isoforms of β-tubulin cDNA from Chinese hamster ovary cells
S. Ahmad, B. Singh and R.S. Gupta (Canada) 252

Molecular cloning of Chinese hamster metallothionein II gene and its 5′ flanking region
S.-H. Hung, C.-W. Yu, T.-M. Chou, P.C. Huang and L.-Y. Lin (Taiwan) 255

Characterization of the gene for the bovine seminal vesicle secretory protein SVSP109
C. Bräuer and K.H. Scheit (Germany) 259

γ-Crystallin genes in carp: cloning and characterization
T. Chang, C.-L. Lin, P.-H. Chen and W.-C. Chang (Taiwan) 261

A variant of glycophorin A resulting from the deletion of exon 4
P. Barton, A. Collins and N. Hoogenraad (Australia) 265

Cloning and sequence of an infectious bovine rhinotracheitis virus (BHV-1) gene homologous to glycoprotein H of herpes simplex virus
A.L. Meyer, E.A. Petrovskis, W.P.H. Duffus, D.R. Thomsen and L.E. Post (U.S.A., U.K.) 267

Rat sperm acrosin: cDNA sequence, derived primary structure and phylogenetic origin
U. Klemm, A. Flake and W. Engel (Germany) 270

Goose-type lysozyme gene of the chicken: sequence, genomic organization and expression reveals major differences to chicken-type lysozyme gene
T. Nakano and T. Graf (Germany) 273

Isolation and characterisation of a bovine cDNA encoding eukaryotic initiation factor 2α
S.R. Green, J. Fullekrug, K. Sauer and M.F. Tuite (U.K.) 277

Review

Determinants and regulation of cytoplasmic mRNA stability in eukaryotic cells
M.W. Hentze (Germany) 281

Regular Papers

Differential expression in *Escherichia coli* of the α and β forms of heparin-binding acidic fibroblast growth factor-1: potential role of RNA secondary structure
R. Forough, K. Engleka, J.A. Thompson, A. Jackson, T. Imamura and T. Maciag (U.S.A., Japan) 293

Isolation of a mRNA that encodes a putative intestinal alkaline phosphatase regulated by 1,25-dihydroxyvitamin D-3
M. Strom, J. Krisinger and H.F. DeLuca (U.S.A.) 299

Binding of simian virus 40 large tumor antigen to phospholipid vesicles
H. Hirai, N. Takahashi, S. Natori and K. Sekimizu (Japan) 305

Sequential activation of genes for heme pathway enzymes during erythroid differentiation of mouse Friend virus-transformed erythroleukemia cells
H. Fujita, M. Yamamoto, T. Yamagami, N. Hayashi, T.R. Bishop, H. De Verneuil, T. Yoshinaga, S. Shibahara, R. Morimoto and S. Sassa (U.S.A., Japan, France) 311

Binding characteristics of *Escherichia coli* biotin repressor–operator complex
K.-C. Lin, A. Campbell and D. Shiuan (Taiwan, R.O.C., U.S.A.) 317

Regulation of phosphatidylethanolamine methyltransferase and phospholipid methyltransferase by phospholipid precursors in *Saccharomyces cerevisiae*
P.M. Gaynor, T. Gill, S. Toutenhoofd, E.F. Summers, P. McGraw, M.J. Homann, S.A. Henry and G.M. Carman (U.S.A.) 326

Developmental expression of glycogenolytic enzymes in rabbit tissues: possible relationship to fetal lung maturation
C.B. Newgard, B. Norkiewicz, S.D. Hughes, R.A. Frenkel, W.S. Coats, F. Martiniuk and J.M. Johnston (U.S.A.) 333

Short Sequence-Papers

Nucleotide sequence of a class μ glutathione *S*-transferase from chicken liver
L.-F. Liu and M.F. Tam (Taiwan, R.O.C.) 343

Sequence of a cDNA carrying the glycoprotein gene and part of the matrix protein M2 gene of viral haemorrhagic scepticaemia virus, a fish rhabdovirus
M. Thiry, F. Lecoq-Xhonneux, I. Dheur, A. Renard and P. De Kinkelin (Belgium, France) 345

Nucleotide sequence of *trpE*, anthranilate synthase I gene, of *Bacillus caldotenax*
A. Shiratsuchi and S. Sato (Japan) 348

Nucleotide sequence analysis of *pur*H and *pur*D genes from *Salmonella typhimurium*
A.K. Chopra, J.W. Peterson and R. Prasad (U.S.A.) 351

Erratum 355

Corrigendum 357

Cumulative Contents, Vol. 1090 359

Author Index 362